

Sheet List Table	
Sheet Number	Sheet Title
15.00.00	Drawing Register
15.02.00	Foundation
15.02.01	Recessed Foundation
15.03.00	External Corner
15.04.00	Internal Corner
15.05.00	Window Sill
15.06.00	Window Jamb
15.07.00	Window Head
15.08.00	Soffit
15.09.00	Roof Apron
15.10.00	Vertical Control Joint
15.11.00	Horizontal Control Joint
15.11.20	Horizontal Drainage Joint

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Integra Facade System


Substrate
Integra Panel 50mm (20mm Cavity) -
Concision Wall System

Drawing Name
Drawing Register

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
15.00.00



Refer RCS TradeSpec™ Document 1.2 for information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Integra Facade System


Substrate
 Integra Panel 50mm (20mm Cavity) - Concision Wall System

Drawing Name
 Foundation

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 15.02.00



Refer TradeSpec™ Document 1.2 for information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Integra Facade System


Substrate
 Integra Panel 50mm (20mm Cavity) -
 Concision Wall System

Drawing Name
 Recessed Foundation

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 15.02.01



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Integra Facade System


Substrate
 Integra Panel 50mm (20mm Cavity) -
 Concision Wall System

Drawing Name
 External Corner

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 15.03.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Integra Facade System


Substrate
 Integra Panel 50mm (20mm Cavity) -
 Concision Wall System

Drawing Name
 Internal Corner

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 15.04.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Integra Facade System


Substrate
 Integra Panel 50mm (20mm Cavity) -
 Concision Wall System

Drawing Name
 Window Sill

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 15.05.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Integra Facade System


Substrate
 Integra Panel 50mm (20mm Cavity) -
 Concision Wall System

Drawing Name
 Window Jamb

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 15.06.00



The RCS EdgeSealHead Flashing must be installed so that it extends 10mm either side of the jamb extrusion.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Integra Facade System


Substrate
Integra Panel 50mm (20mm Cavity) -
Concision Wall System

Drawing Name
Window Head

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
15.07.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Integra Facade System


Substrate
 Integra Panel 50mm (20mm Cavity)
 - Concision Wall System

Drawing Name
 Soffit

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 15.08.00



Refer RCS
TradeSpec™ Document 1.2 for
information on Roof Clearances

Metal flashing must be taped to the
Building Underlay or covered with a
second layer of underlay by the main
contractor/window installer

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Integra Facade System


Substrate
**Integra Panel 50mm (20mm Cavity) -
Concision Wall System**

Drawing Name
Roof Apron

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
15.09.00



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Integra Facade System


Substrate
 Integra Panel 50mm (20mm Cavity) - Concision Wall System

Drawing Name
 Vertical Control Joint

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 15.10.00



Please note that there should be no fixings into the floor joists, the substrate should be left floating over this point.

All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4 for suggested locations

Continuous cavities must be limited to two-storeys or 7m in height in accordance with E2/AS1 Paragraph 9.1.9.4.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Integra Facade System


Substrate
 Integra Panel 50mm (20mm Cavity) - Concision Wall System

Drawing Name
 Horizontal Control Joint

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 15.11.00



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4 for suggested locations

Please note that there should be no fixings into the floor joists, the substrate should be left floating over this point.

Inter-storey drainage joints shall be used for walls over 2 storeys in height. Refer to NZBC E2/AS1 Paragraph 9.1.9.4

Where the wind zone is classed as Extra-High then the flashing cover distances should be extended to a minimum of 60mm



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Integra Facade System

Substrate
 Integra Panel 50mm (20mm Cavity) - Concision Wall System

Drawing Name
 Horizontal Drainage Joint

Scale
 1 : 2 @ A4

Date
 13 February 2024

Sheet
 15.11.20