


Sheet List Table	
Sheet Number	Sheet Title
41.00.00	Drawing Register
41.02.00	Foundation
41.02.01	Foundation with Drain
41.03.00	External Corner
41.03.40	External Corner with Brick Veneer
41.04.00	Internal Corner
41.04.40	Internal Corner with Brick Veneer
41.05.00	Window Sill
41.06.00	Window Jamb
41.07.00	Window Head
41.08.00	Soffit
41.09.00	Roof Apron
41.10.00	Vertical Control Joint - Option 1
41.10.01	Vertical Control Joint - Option 2
41.10.50	Vertical Control Joint with Brick Veneer
41.11.00	Horizontal Control Joint



Refer to NZBC E2/AS1 for information
on Ground Clearances

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be
reproduced or transmitted other than the intended use by
Resene Construction Systems without written consent from
the author.

System
Fibre Cement Sheet Render System


Substrate
EasyLap 9mm (20mm Cavity)

Drawing Name
Foundation


Scale
1 : 2 @ A4

Date
7 July 2021

Sheet
41.02.00



Refer to NZBC E2/AS1 for information on Ground Clearances



Refer to NZBC E2/AS1 for information on Ground Clearances

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Fibre Cement Sheet Render System


Substrate
 EasyLap 9mm (20mm Cavity)


Drawing Name
 Foundation with Slab Edge Insulation


Scale
 1 : 2 @ A4


Date
 25 November 2021


Sheet
 41.02.05




























5mm clearance must be maintained between the starter strip and the head flashing

Head flashing must be taped to the Building Underlay by the main contractor/window installer using a tape that is compatible with the Building Underlay

Head Flashing to have a minimum 15° fall





TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Fibre Cement Sheet Render System


Substrate
 EasyLap 9mm (20mm Cavity)

Drawing Name
 Raking Soffit - Option 1

Scale
 1 : 2 @ A4

Date
 30 March 2023

Sheet
 41.08.30



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Fibre Cement Sheet Render System


Substrate
 EasyLap 9mm (20mm Cavity)

Drawing Name
 Raking Soffit - Option 2

Scale
 1 : 2 @ A4

Date
 30 March 2023

Sheet
 41.08.31



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Fibre Cement Sheet Render System


Substrate
 EasyLap 9mm (20mm Cavity)

Drawing Name
 Raking Soffit - Option 3

Scale
 1 : 2 @ A4

Date
 30 March 2023

Sheet
 41.08.32



Metal flashing must be taped to the Building Underlay or covered with a second layer of wrap by the main contractor/window installer

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Fibre Cement Sheet Render System


Substrate
 EasyLap 9mm (20mm Cavity)

Drawing Name
 Roof Apron

Scale
 1 : 2 @ A4

Date
 9 November 2022

Sheet
 41.09.00



All Control Joint spacings and setouts are the responsibility of the Designer, refer to the Sheet Manufacturers recommendations for suggested locations

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Fibre Cement Sheet Render System


Substrate
EasyLap 9mm (20mm Cavity)

Drawing Name
Vertical Control Joint - Option 1


Scale
1 : 2 @ A4

Date
9 November 2022

Sheet
41.10.00



All Control Joint spacings and setouts are the responsibility of the Designer, refer to the Sheet Manufacturers recommendations for suggested locations



All Control Joint spacings and setouts are the responsibility of the Designer, refer to the Sheet Manufacturers recommendations for suggested locations

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Fibre Cement Sheet Render System


Substrate
 EasyLap 9mm (20mm Cavity)

Drawing Name
 Vertical Joint with Existing Plaster - Option 1

Scale
 1 : 2 @ A4

Date
 9 November 2022

Sheet
 41.10.80



All Control Joint spacings and setouts are the responsibility of the Designer, refer to the Sheet Manufacturers recommendations for suggested locations

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Fibre Cement Sheet Render System


Substrate
 EasyLap 9mm (20mm Cavity)

Drawing Name
 Vertical Joint with Existing Plaster - Option 2

Scale
 1 : 2 @ A4

Date
 9 November 2022

Sheet
 41.10.81



All Control Joint spacings and setouts are the responsibility of the Designer, refer to the Sheet Manufacturers recommendations for suggested locations

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Fibre Cement Sheet Render System


Substrate
 EasyLap 9mm (20mm Cavity)

Drawing Name
 Vertical Junction with Existing EIFS

Scale
 1 : 2 @ A4

Date
 13 March 2023

Sheet
 41.10.85



All Control Joint spacings and setouts are the responsibility of the Designer, refer to the Sheet Manufacturers recommendations for suggested locations

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Fibre Cement Sheet Render System


Substrate
 EasyLap 9mm (20mm Cavity)

Drawing Name
 Horizontal Control Joint

Scale
 1 : 2 @ A4

Date
 9 November 2022

Sheet
 41.11.00



Parapets
Resene Construction Systems considers parapets a non-maintainable area. This is defined as an area(s) which are not readily or easily accessible for general maintenance requirements by the property owner.

Enclosed balustrades
Resene Construction Systems considers enclosed balustrades as maintainable areas. This is defined as an area(s) which are readily or easily accessible for general maintenance requirements by the property owner.

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Fibre Cement Sheet Render System

Substrate
EasyLap 9mm (20mm Cavity)

Drawing Name
Maintainable Balustrade

Scale
1 : 2 @ A4

Date
9 November 2022

Sheet
41.13.12