

Sheet List Table	
Sheet Number	Sheet Title
74.02.00	Foundation
74.03.00	External Corner
74.04.00	Internal Corner
74.05.00	Window Sill
74.06.00	Window Jamb
74.07.00	Window Head
74.08.00	Soffit
74.09.00	Roof Apron
74.10.00	Vertical Control Joint
74.11.00	Horizontal Control Joint
74.12.00	Meter Box Penetration

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Insulated Facade System


Substrate
EPS Panel 100mm (20mm Cavity)

Drawing Name
Drawing Register

Scale
1 : 2 @ A4

Date
15 February 2024

Sheet
74.00.00



Refer RCS TradeSpec™ Document 1.2 for information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System


Substrate
 EPS Panel 100mm (20mm Cavity)

Drawing Name
 Foundation

Scale
 1 : 2 @ A4

Date
 15 February 2024

Sheet
 74.02.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System


Substrate
 EPS Panel 100mm (20mm Cavity)

Drawing Name
 External Corner

Scale
 1 : 2 @ A4

Date
 15 February 2024

Sheet
 74.03.00



Mesh to be wrapped continuously
around the internal corner, if there is
a break in the mesh then an additional
layer of Sticky Mesh must be used

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be
reproduced or transmitted other than the intended use by
Resene Construction Systems without written consent from
the author.

System
Insulated Facade System


Substrate
EPS Panel 100mm (20mm Cavity)

Drawing Name
Internal Corner

Scale
1 : 2 @ A4

Date
15 February 2024

Sheet
74.04.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System


Substrate
 EPS Panel 100mm (20mm Cavity)

Drawing Name
 Window Sill

Scale
 1 : 2 @ A4

Date
 15 February 2024

Sheet
 74.05.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System


Substrate
 EPS Panel 100mm (20mm Cavity)

Drawing Name
 Window Sill to NK Window

Scale
 1 : 2 @ A4

Date
 7 December 2023

Sheet
 74.05.30



Allow a 25mm Gap between the back of the joinery and external facing timber framing to allow the jamb flashing to fit.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.


System
Insulated Facade System
 Substrate
EPS Panel 100mm (20mm Cavity)

Drawing Name
Window Jamb


Scale
1 : 2 @ A4

Date
15 February 2024

Sheet
74.06.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



Metal Head Flashing supplied and installed by main contractor to extend past the line of the aluminium jamb by 10mm and be turned up at the ends by a minimum 20mm, this is an alternative to using a Head Soaker



Head flashing must be taped to the Building Underlay by the main contractor/window installer

5mm clearance must be maintained between the starter strip and the head flashing

Head Flashing to have a minimum 15° fall

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Insulated Facade System


Substrate
EPS Panel 100mm (20mm Cavity)

Drawing Name
Window Head

Scale
1 : 2 @ A4

Date
15 February 2024

Sheet
74.07.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Insulated Facade System


Substrate
EPS Panel 100mm (20mm Cavity)

Drawing Name
Window Head to NK Window

Scale
1 : 2 @ A4

Date
7 December 2023

Sheet
74.07.30



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System


Substrate
 EPS Panel 100mm (20mm Cavity)

Drawing Name
 Soffit

Scale
 1 : 2 @ A4

Date
 15 February 2024

Sheet
 74.08.00



Refer TradeSpec™ Document 1.2 for information on Roof Clearances

Metal flashing must be taped to the Building Underlay by the main contractor/window installer

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System


Substrate
 EPS Panel 100mm (20mm Cavity)

Drawing Name
 Roof Apron

Scale
 1 : 2 @ A4

Date
 15 February 2024

Sheet
 74.09.00



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to TradeSpec™ Document 1.4

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System


Substrate
 EPS Panel 100mm (20mm Cavity)

Drawing Name
 Vertical Control Joint

Scale
 1 : 2 @ A4

Date
 15 February 2024

Sheet
 74.10.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Insulated Facade System


Substrate
EPS Panel 100mm (20mm Cavity)

Drawing Name
Horizontal Control Joint

Scale
1 : 2 @ A4

Date
15 February 2024

Sheet
74.11.00



The responsibility for the penetration is the responsibility of the main contractor, where possible and practical use a flange.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System

Substrate
 EPS Panel 100mm (20mm Cavity)

Drawing Name
 Meter Box Penetration

Scale
 1 : 2 @ A4

Date
 15 February 2024

Sheet
 74.12.00