

Sheet List Table	
Sheet Number	Sheet Title
76.02.00	Foundation
76.03.00	External Corner
76.04.00	Internal Corner
76.05.00	Window Sill
76.06.00	Window Jamb
76.07.00	Window Head
76.08.00	Soffit
76.09.00	Roof Apron
76.10.00	Vertical Control Joint
76.11.00	Horizontal Control Joint

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Insulated Facade System


Substrate
EPS Panel 50mm (20mm Cavity) - Steel Frame

Drawing Name
Drawing Register

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
76.00.00



Refer RCS TradeSpec™ Document 1.2 for information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System


Substrate
 EPS Panel 50mm (20mm Cavity) - Steel Frame

Drawing Name
 Foundation

Scale
 1 : 2 @ A4

Date
 14 February 2024

Sheet
 76.02.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System


Substrate
 EPS Panel 50mm (20mm Cavity) - Steel Frame

Drawing Name
 External Corner

Scale
 1 : 2 @ A4

Date
 14 February 2024

Sheet
 76.03.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System


Substrate
 EPS Panel 50mm (20mm Cavity) - Steel Frame

Drawing Name
 Internal Corner

Scale
 1 : 2 @ A4

Date
 14 February 2024

Sheet
 76.04.00



Allow a 25mm Gap between the back of the joinery and external facing timber framing to allow the sill flashing to fit.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System


Substrate
 EPS Panel 50mm (20mm Cavity) - Steel Frame

Drawing Name
 Window Sill

Scale
 1 : 2 @ A4

Date
 14 February 2024

Sheet
 76.05.00



Allow a 25mm Gap between the back of the joinery and external facing timber framing to allow the jamb flashing to fit.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems


CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System
 Substrate
 EPS Panel 50mm (20mm Cavity) - Steel Frame

Drawing Name
 Window Jamb

Scale
 1 : 2 @ A4
 Date
 14 February 2024

Sheet
 76.06.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems


Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System
 Substrate
 EPS Panel 50mm (20mm Cavity) - Steel Frame

Drawing Name
 Window Head

Scale
 1 : 2 @ A4
 Date
 14 February 2024
 Sheet
 76.07.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems


CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System
 Substrate
 EPS Panel 50mm (20mm Cavity) - Steel Frame

Drawing Name
 Soffit

Scale
 1 : 2 @ A4
 Date
 14 February 2024

Sheet
 76.08.00



Refer RCS TradeSpec™ Document 1.2 for information on Roof Clearances

Metal flashing must be taped to the Building Underlay or covered with a second layer of wrap by the main contractor/window installer

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System


Substrate
 EPS Panel 50mm (20mm Cavity) - Steel Frame

Drawing Name
 Roof Apron

Scale
 1 : 2 @ A4

Date
 14 February 2024

Sheet
 76.09.00



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to TradeSpec™ Document 1.4

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems


Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Insulated Facade System
 Substrate
 EPS Panel 50mm (20mm Cavity) - Steel Frame

Drawing Name
 Vertical Control Joint

Scale
 1 : 2 @ A4
 Date
 1 November 2017
 Sheet
 76.10.00



Please note that there should be no fixings into the floor joists, the substrate should be left floating over this point.

All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to TradeSpec™ Document 1.4 for suggested locations

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Insulated Facade System
Substrate
EPS Panel 50mm (20mm Cavity) - Steel Frame

Drawing Name
Horizontal Control Joint

Scale
1 : 2 @ A4
Date
14 February 2024

Sheet
76.11.00