## **INTEGRA PANEL**

# **Resene Construction Systems**

Version No: 1.3

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Issue Date: **13/04/2022**Print Date: **13/04/2022**L.GHS.NZL.EN

## SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier	
Product name	RESENE CONSTRACTION SYSTEMS INTEGRA PANEL
Synonyms	Not Available
Other means of identification	Not Available

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use according to manufacturer's directions.

#### Details of the supplier of the safety data sheet

Registered company name	Resene Construction Systems
Address	5 Venture Place Middleton, Christchurch 8024 New Zealand
Telephone	(03) 3386 328
Fax	(03) 3386 819
Website	http://reseneconstruction.co.nz/
Email	mike@reseneconstruction.co.nz

### Emergency telephone number

Association / Organisation	CHEMWATCH EMERGENCY RESPONSE
Emergency telephone numbers	+64 800 700 112
Other emergency telephone numbers	+61 2 9186 1132

Once connected and if the message is not in your prefered language then please dial 01

### **SECTION 2 Hazards identification**

## Classification of the substance or mixture

Olassinication	Glassification of the substance of finature		
	Classification <sup>[1]</sup>	Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3	
	Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	
	ed by Chemwatch GHS/HSNO criteria	6.1E (respiratory tract irritant)	

## Label elements

Hazard pictogram(s)



Signal word

Warning

### Hazard statement(s)

H335 May cause respiratory irritation.

## Precautionary statement(s) Prevention

• • • • • • • • • • • • • • • • • • • •	
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing dust/fumes.

### Precautionary statement(s) Response

r recautionally statement(s) response	
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Version No: **1.3** Page **2** of **7** Issue Date: **13/04/2022** 

RESENE CONSTRACTION SYSTEMS INTEGRA PANEL	Fillit Date. 13/04/2022

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

### Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

### **SECTION 3 Composition / information on ingredients**

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight] Name	
Not Available	tobermorite crystals	
14808-60-7.	0-30 graded sand	
7778-18-9	1-5 <u>calcium sulfate</u>	
Legend:	Legend: 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI 4. Classification drawn from C&L * EU IOELVs available	

# **SECTION 4 First aid measures**

## Description of first aid measures

Eye Contact	If this product comes in contact with eyes:  • Wash out immediately with water.  • If irritation continues, seek medical attention.  • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs:  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	If dust is inhaled remove from contaminated area.     Transport to hospital, or doctor in event of irritation
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 Firefighting measures**

## Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- ▶ Use extinguishing media suitable for surrounding area.

## Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
Advice for firefighters	

Fire Fighting  • Alert Fire Brigade and tell them location and nature of hazard.		► Alert Fire Brigade and tell them location and nature of hazard.	
	Fire/Explosion Hazard	► Non combustible.	

### **SECTION 6 Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

See section 8

## **Environmental precautions**

See section 12

# Methods and material for containment and cleaning up

Spills	▶ Clean up all spills.

Version No: **1.3** Page **3** of **7** Issue Date: **13/04/2022** 

### RESENE CONSTRACTION SYSTEMS INTEGRA PANEL

Print Date: 13/04/2022

## **SECTION 7 Handling and storage**

#### Precautions for safe handling

Safe handling Avoid unnecessary personal contact.

## Conditions for safe storage, including any incompatibilities

Suitable container	► As supplied by manufacturer
Storage incompatibility	None known

### **SECTION 8 Exposure controls / personal protection**

### **Control parameters**

## Occupational Exposure Limits (OEL)

### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
New Zealand Workplace Exposure Standards (WES)	graded sand	Quartz respirable dust	0.05 mg/m3	Not Available	Not Available	Not Available
New Zealand Workplace Exposure Standards (WES)	calcium sulfate	Calcium sulphate (Gypsum, Plaster of Paris)	10 mg/m3	Not Available	Not Available	Not Available
New Zealand Workplace Exposure Standards (WES)	calcium sulfate	Plaster of Paris (Calcium sulphate)	10 mg/m3	Not Available	Not Available	Not Available

### **Emergency Limits**

Ingredient	TEEL-1	TEEL-2	TEEL-3
graded sand	0.075 mg/m3	33 mg/m3	200 mg/m3

Ingredient	Original IDLH	Revised IDLH
graded sand	25 mg/m3 / 50 mg/m3	Not Available
calcium sulfate	Not Available	Not Available

#### **Exposure controls**

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.	
Personal protection	onal protection	
Eye and face protection	e and face protection Safety glasses with side shields.	
Skin protection	See Hand protection below	
Hands/feet protection	The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer.  Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.	
Body protection	Overalls	
Respiratory protection	► Particulate	

### **SECTION 9 Physical and chemical properties**

# Information on basic physical and chemical properties

	• •		
Appearance	Odourless white flat		
	)		
Physical state	Solid Relative density (Water = 1) >1		>1
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	9-10	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available

Version No: 1.3 Page **4** of **7** Issue Date: 13/04/2022

### RESENE CONSTRACTION SYSTEMS INTEGRA PANEL

Print Date: 13/04/2022

Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	0	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	0
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (Not Available%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	0

# **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	▶ Stable
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 Toxicological information**

Information	on	toxicol	ogical	effects

Inhaled	Evidence shows, or practical experience predicts, that the material produces irritation of the respiratory system, in a substantial number of individuals, following inhalation.		
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as 'harmful by ingestion'.		
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models).  Open cuts, abraded or irritated skin should not be exposed to this material		
Eye	Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn).		
Chronic	Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems.  Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.		
RESENE CONSTRACTION	TOXICITY IRRITATION		

RESENE CONSTRACTION
SYSTEMS INTEGRA PANEL

TOXICITY	IRRITATION
Not Available	Not Available

# graded sand

TOXICITY	IRRITATION
Oral (Rat) LD50; 500 mg/kg <sup>[2]</sup>	Not Available

# calcium sulfate

TOXICITY	IRRITATION
Inhalation(Rat) LC50; >3.26 mg/l4h <sup>[1]</sup>	Not Available
Oral (Rat) LD50; >1581 mg/kg[1]	

## Legend:

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.\* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

GRADED SAND	No significant acute toxicological data identified in literature search.
CALCIUM SULFATE	Gypsum (calcium sulfate dihydrate) is a skin, eye, mucous membrane, and respiratory system irritant.
RESENE CONSTRACTION SYSTEMS INTEGRA PANEL & CALCIUM SULFATE Asthma-like symptoms may continue for months or even years after exp	Asthma-like symptoms may continue for months or even years after exposure to the material ends.

Version No: 1.3 Page 5 of 7 Issue Date: 13/04/2022

### RESENE CONSTRACTION SYSTEMS INTEGRA PANEL

Print Date: 13/04/2022

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	<b>✓</b>
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

★ – Data either not available or does not fill the criteria for classification

Data available to make classification

## **SECTION 12 Ecological information**

#### Toxicity

RESENE CONSTRACTION	Endpoint	Test Duration (hr)	Species	Value	Sour	ce
YSTEMS INTEGRA PANEL	Not Available	Not Available	Not Available	Not Available	Not A	vailable
graded sand	Endpoint	Test Duration (hr)	Species	Value	Sour	ce
graded Sand	Not Available	Not Available	Not Available	Not Available	Not Available Not Available	
	Endpoint	Test Duration (hr)	Species		Value	Source
	NOEC(ECx)	0.25h	Fish		75mg/l	4
calcium sulfate	LC50	96h	Fish		>79mg/l	2
	EC50	72h	Algae or other aquation	plants	>79mg/l	2
Legend:		10/10 7 1 11 10 10 10 15 15	CHA Registered Substances - I			4.110.55

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
calcium sulfate	HIGH	HIGH

### Bioaccumulative potential

zioacoaiiiaiaii o potoiiiai	
Ingredient	Bioaccumulation
calcium sulfate	LOW (LogKOW = -2.2002)

## Mobility in soil

Ingredient	Mobility
calcium sulfate	LOW (KOC = 6.124)

# **SECTION 13 Disposal considerations**

## Waste treatment methods

Product / Packaging disposal	▶ Recycle wherever possible or consult manufacturer for recycling options.
------------------------------	--

## **Disposal Requirements**

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package.

The generation of waste should be avoided or minimised wherever possible.

Disposal of this product should comply with Hazard Substances (Disposal) Notice 2017 (EPA Consolidation 30 April 2021).

For treating and discharging processes contact your local authority.

## **SECTION 14 Transport information**

### Labels Required

Labels Required	
Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Version No: **1.3** Page **6** of **7** Issue Date: **13/04/2022** 

#### RESENE CONSTRACTION SYSTEMS INTEGRA PANEL

Print Date: 13/04/2022

#### Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
graded sand	Not Available
calcium sulfate	Not Available

### Transport in bulk in accordance with the ICG Code

Product name	Ship Type
graded sand	Not Available
calcium sulfate	Not Available

#### **SECTION 15 Regulatory information**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard	
HSR002544	Construction Products Subsidiary Hazard Group Standard 2020	

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

#### graded sand is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC

Monographs - Group 1: Carcinogenic to humans

New Zealand Approved Hazardous Substances with controls

#### calcium sulfate is found on the following regulatory lists

New Zealand Inventory of Chemicals (NZIoC)

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chamilagle, Classification Data

of Chemicals - Classification Data New Zealand Inventory of Chemicals (NZIoC)

New Zealand Workplace Exposure Standards (WES)

New Zealand Workplace Exposure Standards (WES)

### **Hazardous Substance Location**

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantities
Not Applicable	Not Applicable

### **Certified Handler**

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

## Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L)	Solid (kg)	Maximum quantity per package for each classification
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

### **Tracking Requirements**

Not Applicable

## **National Inventory Status**

•	
National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
New Zealand - NZIoC	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

### **SECTION 16 Other information**

Revision Date	13/04/2022
Initial Date	13/04/2022

## SDS Version Summary

Version	Date of Update	Sections Updated

Version No: **1.3** Page **7** of **7** Issue Date: **13/04/2022** 

#### RESENE CONSTRACTION SYSTEMS INTEGRA PANEL

Print Date: 13/04/2022

Version	Date of Update	Sections Updated	
0.3	13/04/2022	Chronic Health, Classification, Ingredients, Physical Properties	

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

#### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit,

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard OSF: Odour Safety Factor

TLV: Threshold Limit Value

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors

BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List

NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.